

# Aids for Daily Living Catalogue 2016



## Welcome to the 2016 Coopers Catalogue

Coopers is a leading UK supplier of aids for daily living and mobility products. We have been supplying rehabilitation products for over 100 years.

We provide equipment for end users, residential homes, community equipment stores, NHS and many rehabilitation companies. We are members of the British Healthcare Trades Association (BHTA).

The Coopers 2016 range of aids for daily living equipment helps with various aspects of daily life, whether it's out and about, or in and around the home. We've worked hard to develop a range of products that are innovative, of high quality and offer outstanding value for money.

Take a look at our Sunlift hoists range, this range of four hoists offer exceptional quality, reliability and value for money. Please see pages 22 to 25 for full details.

### Why choose Coopers?

- We are one of the most trusted suppliers to the NHS, community loan stores and mobility dealers
- We hold all items in stock
- Most orders are despatched within 24 hours
- Key product lines available in bulk packs and cartons saving you money (please see page 44)
- Our products have an outstanding quality and safety record
- 12 month no quibble guarantee
- We have a dedicated and knowledgeable Customer Service team and a team of Area Sales Managers who can assist you with choosing the right product, provide additional product support and arrange product demonstrations
- Ordering is easy via fax, email and online

We hope you will find our catalogue helpful and easy to use. If you have any questions about any of our products or services, or would like more information, please contact your Area Sales Manager, or alternatively a member of the Customer Service Team on **0845 605 66 88** (Option 2) between 9am and 5pm Monday - Friday. Alternatively, please email us at: [enquiries@sunmed.co.uk](mailto:enquiries@sunmed.co.uk).

### For enquiries:

Phone: 0845 605 66 88 (Option 2)

### To place your order:

Fax: 0845 605 66 89

E-mail: [orders@sunmed.co.uk](mailto:orders@sunmed.co.uk)

Online: <http://parts.sunrisemedical.eu>

### Mobility

Walking Frames	4
Walking Frame Accessories	7
Three Wheeled and Rolling Walkers	8
Elbow Crutches	10
Arthritic Elbow Crutches	12
Children's Crutches	12
Axilla Crutches	12
Tripods and Tetrapods	13
Aluminium Support Sticks	14
Wooden Walking Sticks	17
Fixed Height Support Sticks	18
Folding Walking Sticks	20
Ferrules	21

### Hoists

Sunlift Hoists	22
----------------	----

### Bathroom

Bathboards	26
Showerboards	26
Bathseats	27
Shower Chairs and Stools	27
Wall Mounted Shower Seats	29
Bath Steps	30
Reclining Bathlift	31
Shower / Commode Chairs	32

### Toileting

Raised Toilet Seats	33
Toilet Seat Frames and Surrounds	33
Urinals	35
Commodes	37

### Grab Rails

Bathing /Toileting	37
--------------------	----

### Perching Stools

Perching Stools	38
-----------------	----

### Household

Bed Aids	39
Dressing Aids	39
Bed and Chair Raisers	39
Stocking & Sock Aid	40
Reaching and Lifting Aids	40

## Hospital Walking Frame

Specifically designed for use in hospitals and nursing homes.

- Lightweight height adjustable aluminium frame
- Features extra-wide base for additional stability
- Available with or without wheels

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7323C	-	Hospital Frame - M	Handgrip height: 765mm - 840mm (30" - 33"). Max width: 660mm (25"). Max depth: 585mm (23"). Product weight: 1.9kg. Ferrule: Z25.	160kg (25st)
7325C	-	Hospital Frame - L	Handgrip height: 865mm - 940mm (34" - 37"). Max width: 660mm (25"). Max depth: 585mm (23"). Product weight: 1.9kg. Ferrule: Z25.	
7333C	-	Hospital Frame - M with wheels	Handgrip height: 780mm - 855mm (31" - 34"). Max width: 660mm (25"). Max depth: 585mm (23"). Product weight: 2.0kg. Ferrule: Z25.	
7335C	-	Hospital Frame - L with wheels	Handgrip height: 885mm - 960mm (35" - 38"). Max width 660mm (25"). Max depth: 585mm (23"). Product weight: 2.0kg. Ferrule: Z25.	



## Forearm Walking Frame with Castors

A lightweight aluminium walking frame designed to give support when walking.

- A walking frame fitted with forearm troughs and 3" swivelling front castors
- Manufactured from aluminium, the frame is lightweight but strong and rigid enough to give a complete sense of security

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7255C	M008	Forearm Frame with Castors	Trough height: 900mm - 1120mm (35½" - 45"). Max width: 670mm (26"). Max depth: 565mm (22"). Product weight: 4.6kg. Ferrule: Z25	127kg (20st)





## Ultra-Narrow Walking Frame

Designed for users with disabilities or those who have difficulty with walking but are capable of walking by themselves with a little support. A narrow frame style helps manoeuvre in smaller spaces.

- Coopers walking frames are made from high tensile seam welded aluminium, making them both lightweight and very strong
- Specially profiled hand grips ensure user safety and comfort
- The ultra-narrow frame is ideal for domestic use or where space is limited
- Height adjustable, available with or without wheels

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7344C	M018	Ultra-narrow Frame - M	Handgrip height: 755mm - 830mm (30"-33"). Max width: 490mm (19½"). Max depth: 450mm (17½"). Product weight: 1.75kg. Ferrule: Z25.	160kg (25st)
7345C	M028	Ultra-narrow Frame - L	Handgrip height: 840mm - 915mm (33"-36"). Max width: 490mm (19½"). Max depth: 450mm (17½"). Product weight: 1.75kg. Ferrule: Z25.	
7346C	-	Ultra-narrow Frame - M with wheels	Handgrip height: 775mm - 850mm (31"-34"). Max width: 490mm (19½"). Max depth: 450mm (17½"). Product weight: 1.80kg. Ferrule: Z25.	
7347C	-	Ultra-narrow Frame - L with wheels	Handgrip height: 860mm - 935mm (34"-37"). Max width: 490mm (19½"). Max depth: 450mm (17½"). Product weight: 1.80kg. Ferrule: Z25.	



## Domestic Walking Frame

# COOPERS RECOMMENDS

A strong yet lightweight walking frame that is height adjustable. This walking frame is ideal for those who need support when walking.

- Designed for indoor use
- Made from high tensile seam welded aluminium making them both lightweight and very strong
- Specially profiled hand grips ensure user safety and comfort
- These height adjustable frames are available in three size options
- Available with or without wheels



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7321C	M009	Domestic Frame - S	Handgrip height: 665mm - 740mm (26" - 29"). Max width: 560mm (22"). Max depth: 520mm (20½"). Product weight: 1.9kg. Ferrule: Z25.	160kg (25st)
7341C	M010	Domestic Frame - M	Handgrip height: 765mm - 840mm (30" - 33"). Max width: 560mm (22"). Max depth: 520mm (20½"). Product weight: 1.9kg. Ferrule: Z25.	
7343C	M011	Domestic Frame - L	Handgrip height: 865mm - 940mm (34" - 37"). Max width: 560mm (22"). Max depth: 520mm (20½"). Product weight: 1.9kg. Ferrule: Z25.	
7331C	M003	Domestic Frame - S with wheels	Handgrip height: 695mm - 770mm (27" - 30"). Max width: 560mm (22"). Max depth: 520mm (20½"). Product weight: 2.0kg. Ferrule: Z25.	
7351C	M004	Domestic Frame - M with wheels	Handgrip height: 780mm - 855mm (31" - 34"). Max width: 560mm (22"). Max depth: 520mm (20½"). Product weight: 2.0kg. Ferrule: Z25.	
7353C	M005	Domestic Frame - L with wheels	Handgrip height: 885mm - 960mm (35" - 38"). Max width: 560mm (22"). Max depth: 520mm (20½"). Product weight: 2.0kg. Ferrule: Z25.	

## Folding Walking Frame

A simple folding frame which does not use buttons, catches or other tricky mechanisms - to fold, simply pull the ball towards you. When folded this frame fits easily into the smallest car or storage space.

- Made from lightweight aluminium
- Height adjustable
- Available with or without wheels

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7374C	-	Folding Walking Frame	Handgrip height: 795mm - 863mm (31" - 34"). Max width: 610mm (24"). Max depth: 615mm (24"). Product weight: 2kg. Ferrule: Z25.	127kg (20st)
7381C	-	Folding Walking Frame with wheels	Handgrip height: 810mm - 878mm (32" - 35"). Max width: 610mm (24"). Max depth: 615mm (24"). Product weight: 2.1kg. Ferrule: Z25.	
7253C	-	Wheels (Pair)	-	-



## Folding Walker

The Red Dot folding frame features the easy-to-use patented Red Dot folding mechanism, which releases simply by depressing the tab with finger, arm or palm.

- The lightweight polished aluminium frame with chrome plated steel "K" cross brace provides extra rigidity for long life
- Height adjustable

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7756C	-	Folding Walker Red Dot - M	Handgrip height: 690mm - 870mm (27" - 34"). Max width: 610mm (24"). Max depth: 445mm (17½"). Product weight: 2.95kg. Ferrule: Z30	159kg (25st)
7755C	-	Folding Walker Red Dot - L	Handgrip height: 825mm - 1000mm (32½" - 39½"). Max width: 610mm (24"). Max depth: 430mm (17"). Product weight: 2.95kg. Ferrule: Z30	
7252C	-	Wheels for Red Dot (Pair)	-	-



## Extra Heavy Duty Folding Walking Frame

This Coopers folding walker is designed with durability and style to support an independent and productive lifestyle.

- Height adjustable
- Extra wide frame
- A higher weight capacity
- Durable components for increased comfort and stability

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7758C	-	Extra Heavy Duty Folding Walking Frame	Handgrip height: 810mm - 990mm (32" - 39"). Max width: 740mm (29"). Depth open: 600mm (23½"). Depth folded: 100mm (4"). Product weight 8.3kg. Ferrule: D30.	227kg (35st)
NE-02075	-	Wheels For Extra Heavy Duty Folding Walking Frame	-	



## Walking Frame Wheels

Designed to replace the height adjustable foot of a walking frame, converting the frame to a wheeled walker.

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7253C	M022	Walking Frame Wheels	Wheel diameter: 125mm (5")	-



## Wheels for Red Dot Walking Frame

A pair of 3" wheels for the folding red dot walking frame.

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7252C	-	Wheels for Red Dot Walking Frame	Wheel diameter: 76mm (3"). Tube diameter: 25mm (1").	-



## Wheels for Child's Walker

A pair of wheels for the child's folding walker.

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7254C	-	Wheels for Child's Walker	Wheel diameter: 76mm (3"). Tube diameter: 22mm (0.875").	-



## Three Wheel Walker with Bag

A height adjustable three wheel walker to assist those who require extra support indoors or outdoors.

- Height adjustable lightweight frame
- Easy to operate loop brakes
- Folds away for easy transport and storage
- Includes PVC shopping bag
- Colour - gun metal grey
- Available in a cost saving multipack. See page 44

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10901C	M006	Three Wheel Walker with Bag	Handle height: 800mm - 927mm (31½" - 36½"). Max width: 670mm (26"). Width when folded: 248mm (9¾"). Product weight: 7kg.	130kg (20st)



## Rolling Walker

# COOPERS<sup>®</sup> RECOMMENDS

High quality height adjustable four wheel rolling walker.

- Easy to use loop brakes (squeeze to stop, push down to lock)
- Can be used indoors and outdoors
- Supplied with a large shopping basket, sturdy seat and tray
- Colour - gun metal grey
- Available in a cost saving multipack. See page 44

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10907C	M007	Rolling Walker	Handle height: 780 - 940mm (30½" - 37"). Seat height: 610mm (24"). Width: 580mm (23"). Depth (folded, with backrest): 500mm (20"). Product weight: 11.5kg	130kg (20st)





## Lightweight Rolling Walker

This lightweight aluminium rolling walker has rugged 8" wheels for outdoor use.

- Height adjustable
- Deluxe padded seat and curved backrest for enhanced support
- Features easy to use loop brakes
- Folds for storage
- Comes complete with seat and basket
- Colour - blue
- Available in a cost saving multipack. See page 44

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10910C	-	Lightweight Rolling Walker	Handle height: 780mm - 915mm (30 3/4" - 36"). Seat height: 510mm (20"). Maximum width: 620mm (24 1/2"). Seat width: 340mm x 340mm (13 1/2" x 13 1/2"). Depth (folded, with backrest): 470mm (18 1/2"). Product weight: 9.3kg	125kg (19st)



## Heavy Duty Rolling Walker

Wider than our standard rolling walkers, this heavy duty rolling walker offers additional support and comfort for the larger user.

- Height adjustable aluminium frame
- Deluxe padded seat and back rest
- 8" wheels for outdoor use
- Easy to use loop brakes
- Supplied with seat and basket

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10929C	-	Heavy Duty Rolling Walker	Handle height: 890mm - 1000mm (35" - 40"). Seat height: 560mm (22"). Maximum width: 735mm (29"). Width between handles: 545mm (21 1/2"). Seat width: 460mm x 350mm (18 1/2" x 14"). Depth: (folded, with backrest) 500mm (19 3/4"). Product weight: 11.85kg	180kg (28st)



## Extra Heavy Duty Rolling Walker

This rolling walker features an extra-wide design and durable construction for comfort and stability.

- Height adjustable
- A deluxe padded seat and backrest provide enhanced support
- Comes with 8" wheels which are ideal for outdoor use
- Easy to use loop brakes
- Comes complete with seat and basket

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10931C	-	Extra Heavy Duty Rolling Walker	Handle height: 890mm - 1000mm (35" - 40"). Seat height: 560mm (22"). Maximum width: 760mm (31"). Width between handles: 600mm (24"). Seat width: 460mm x 350mm (18 1/2" x 14"). Depth: (folded, with backrest) 500mm (19 3/4"). Product weight: 12.8kg	227kg (35st)



## Elbow Crutches - Comfy Handle

Coopers Comfy Crutches are the result of two years of development with the Bath Institute of Mechanical Engineering. The crutch was developed using Computer Aided Design and Thermogram technology to offer a unique patented handle which offers pressure distribution characteristics greatly superior to any traditional crutch.

- Height adjustable
- Cuff height adjustable
- Latex free (including ferrules)
- Available in a cost saving multipack. See page 44

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
8351C	-	Double adjustable elbow crutches - medium. Handgrip height: 580mm - 835mm (23" - 33"). Cuff to handgrip: 200mm - 275mm (8" - 11")	Cuff diameter: 95mm (3 ¾"). Product weight: 715g. Ferrule: Z22. Sold as a pair.	127kg (20st)
8353C	-	Double adjustable elbow crutches - adult. Handgrip height: 680mm - 935mm (27" - 37"). Cuff to handgrip: 200mm - 275mm (8" - 11").		



## Elbow Crutch - Soft Touch (PVC Handle)

# COOPERS RECOMMENDS

Lightweight, high strength single and double adjustable crutches, both fitted with soft PVC handles for added comfort.

- Height adjustable
- Cuff height adjustment in the double adjustable crutches
- Soft touch comfortable handle
- Latex free (including ferrules)
- 159kg (25 stone) max user weight
- Available in a cost saving multipack. See page 44



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
8303C	-	Single adjustable - adult. Handgrip height: 670mm - 925mm (26" - 36"). Cuff to handgrip: 240mm (9").	Cuff diameter: 95mm (3 ¾"). Product weight: 600g each. Ferrule: Z22. Sold as a pair.	159kg (25st)
8249C	-	Double adjustable - small. Handgrip height: 440mm - 670mm (17" - 26"). Cuff to handgrip: 165mm - 215mm (7" - 9").		
8251C	-	Double adjustable - medium. Handgrip height: 530mm - 785mm (21" - 31"). Cuff to handgrip: 200mm - 275mm (8" - 11").		
8253C	-	Double adjustable - adult. Handgrip height: 635mm - 910mm (25" - 36"). Cuff to handgrip: 220mm - 295mm (9" - 12").		
9731C	-	Double adjustable - extra long. Handgrip height: 820mm - 1075mm (32" - 42"). Cuff to handgrip: 220mm - 295mm (9" - 12").		



## Elbow Crutch - Plastic Handle

# COOPERS RECOMMENDS

Strong lightweight double adjustable metal crutches with a shaped hand grip and arm support.

- Height adjustable aluminium crutches
- The shape of the handle on this elbow crutch has been designed to spread the pressure more evenly over the hand, and the triangular shape and angle of the handle reflect the natural shape of the hand
- Double adjustable crutches are adjustable between cuff and handle and handle and ground
- Latex free (including ferrule)
- Available in a cost saving multipack. See page 44

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
8298C	-	Single adjustable - adult. Handgrip height: 670mm - 925mm (26" - 36"). Cuff to handgrip: 240mm (9").	Cuff diameter: 95mm (3.75"). Product weight: 600g each. Ferrule: Z22. Sold as a pair.	180kg (28st)
8263C	-	Double adjustable - medium. Handgrip height: 530mm - 785mm (21" - 31"). Cuff to handgrip: 200mm - 275mm (8" - 11").		
8265C	M017	Double adjustable - adult. Handgrip height: 635mm - 910mm (25" - 36"). Cuff to handgrip: 220mm - 295mm (9" - 12").		
8267C	-	Double adjustable - extra long. Handgrip height: 820mm - 1075mm (32" - 42"). Cuff to handgrip: 220mm - 295mm (9" - 12").		



## Permanent User Crutch

This extra-strong crutch made from reinforced aluminium is designed for those users with longer term needs.

- The absence of adjustment holes makes the crutch 'silent' in use
- The crutch is supplied in one standard length and may be cut to the required length
- Supplied with a choice of standard or Stepsafe™ ferrules
- Choice of PVC handle or comfy handle
- Latex free (including ferrules)




Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
8043C	-	Permanent User Crutch - PVC handle, STEPSAFE™ ferrules	Handle to Floor (excluding ferrule): 960mm (38"). Top of cuff to handle: 229mm (9"). Cuff diameter: 100mm (4"). Product weight: 800g each. Standard ferrule: Z25. Sold as a pair.	190kg (30st)
8042C	-	Permanent User Crutch - COMFY handle, STEPSAFE™ ferrules		
8047C	-	Permanent User Crutch - PVC handle, standard ferrules		
8041C	-	Permanent User Crutch - COMFY handle, standard ferrules		

## Child's Elbow Crutch

A cheerful yellow elbow crutch designed for children.

- Made from strong yet lightweight aluminium
- Height adjustable
- Latex free including ferrule

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
9302C	-	Child's Elbow Crutch Age 4 - 7	Handgrip height: 380mm - 530mm (15" - 21"). Cuff diameter: 65mm (2½"). Ferrule: Z18. Sold as a pair.	100kg (16st)
9304C	-	Child's Elbow Crutch Age 6 - 10	Handgrip height: 440mm - 670mm (17" - 26"). Cuff diameter: 65mm (2½"). Ferrule: Z18. Sold as a pair.	



## Arthritic Elbow Crutch

For arthritics or those with impaired grip.

- Adjustable height
- A padded forearm trough distributes the user's weight over a large support area
- The adjustable telescopic handle rotates through 360° and locks to suit individual forearm length
- Latex free including ferrules
- Available in a cost saving multipack. See page 44

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
8300C	-	Arthritic Elbow Crutch	Trough height: 980mm - 1235mm (38" - 48"). Product weight: 950g each. Ferrule: Z25. Sold as a pair.	127kg (20st)



## Red Dot Axilla Crutch

The Red Dot Axilla crutch features a patented clip-lock adjustable handle and push button footpieces for fast, precise measuring and fitting.

- Double adjustable
- Made from lightweight aluminium
- High density rubber cushions offer greater comfort and are hard wearing
- Replacement pads and grips available
- Latex free (including ferrules)
- Available in a cost saving multipack. See page 44

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
8072C	-	Red Dot Axilla - small. Crutch length: 940mm - 1145mm (37" - 45"). Patient height: 1370mm - 1575mm (4'6" - 5'2").	Product weight: 1.25kg each. Ferrule: Z22. Sold as a pair.	127kg (20st)
8071C	-	Red Dot Axilla - medium. Crutch length: 1120mm - 1320mm (45" - 52"). Patient height: 1550mm - 1755mm (5'1" - 5'9").		
8070C	-	Red Dot Axilla - large. Crutch length: 1320mm - 1520mm (52" - 60"). Patient height: 1780mm - 1980mm (5'10" - 6'6").		
00018	-	Replacement Pads for Red Dot Crutches (pair)		
00015	-	Replacement Hand Grips for Red Dot Crutches (pair)		



## Tetrapods and Tripods

Helping to increase stability and balance whilst walking and standing, this walking stick provides additional stability compared to a normal walking stick.

- The centre of the handle is barrel shaped to fit the palm
- The front of the handle tapers to accommodate the fingers and encourage the user to point the index finger along the stem, and then flares at the end to prevent slipping
- Height adjustable
- Available in a cost saving multipack. See page 44

TETRAPOD (SMALL BASE)				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7808C	M016	Tetrapod (small base)	Height adjustment: 720mm - 975mm (28" - 38"). Product weight: 1kg. Ferrule: Z16	127kg (20st)



TETRAPOD (LARGE BASE)				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7810C	-	Tetrapod (large base)	Height adjustment: 765mm - 1020mm (30" - 40"). Product weight: 1kg. Ferrule: Z16	127kg (20st)



TETRAPOD (CENTRED LEGS)				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7812C	-	Tetrapod (centred legs)	Height adjustment: 720mm - 975mm (28" - 38"). Product weight: 1kg. Ferrule: Z16	127kg (20st)



TRIPOD				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7782C	M015	Tripod	Height adjustment: 765mm - 1020mm (30" - 40"). Product weight: 1kg. Ferrule: Z16	127kg (20st)





## Straight Neck Aluminium Support Stick

Helps increase stability and balance while walking and standing.

- A strong, lightweight support stick which is height adjustable
- Manufactured from aluminium
- Plastic handle
- Available in a cost saving multipack. See page 44

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7704C	-	Straight Neck Support Stick - Plastic Handle	Adjustable length: 700mm - 960mm (27½" - 38"). Product weight: 450g. Ferrule: Z22.	127kg (20st)
7706C	M013	Straight Neck Support Stick - Plastic Handle	Adjustable length: 845mm - 1100mm (33" - 43"). Product weight: 450g. Ferrule: Z22.	



## Swan Neck Aluminium Support Stick

- A strong, lightweight support stick which is height adjustable
- The swan neck helps to transmit the weight of the user vertically through the body of the stick
- Manufactured from aluminium
- PVC handle
- Available in a cost saving multipack. See page 44

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7711C	-	Swan Neck PVC Handle	Adjustable length: 710mm - 965mm (28" - 38"). Product weight: 550g. Ferrule: Z22.	127kg (20st)
7713C	-	Swan Neck PVC Handle	Adjustable length: 840mm - 1095mm (33" - 43"). Product weight: 550g. Ferrule: Z22.	



## Straight Neck Aluminium Support Stick

Lightweight, high strength support stick.

- A strong, lightweight support stick which is height adjustable
- Also available with a white shaft for the visually impaired
- Manufactured from aluminium
- PVC handle
- Available in a cost saving multipack. See page 44

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7701C	-	Straight Neck PVC Handle	Adjustable length: 710mm - 965mm (28" - 38"). Product weight: 550g. Ferrule: Z22.	127kg (20st)
7703C	-	Straight Neck PVC Handle	Adjustable length: 840mm - 1095mm (33" - 43"). Product weight: 550g. Ferrule: Z22.	
5652C	SAV08	Straight Neck PVC Handle with white shaft	Adjustable length: 840mm - 1095mm (33" - 43"). Product weight: 550g. Ferrule: Z22.	



## Adjustable Fischer Stick

The unique Fischer handle is biometrically shaped to spread pressure evenly across the palm of the hand. Useful for arthritics and others who have difficulty gripping.

- Fischer handle mounted on a high strength aluminium shaft
- Height adjustable
- Available in a cost saving multipack. See page 44

ANODISED ALUMINIUM STICK				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7728C	-	Fischer Stick - Adult (right hand)	Height adjustment: 670mm - 925mm (27" - 36½"). Product weight: 400g. Ferrule: D18.	127kg (20st)
7727C	-	Fischer Stick - Adult (left hand)	Height adjustment: 670mm - 925mm (27" - 36½"). Product weight: 400g. Ferrule: D18.	
7726C	M014R	Fischer Stick - Adult (right hand)	Height adjustment: 815mm - 1070mm (32" - 42"). Product weight: 400g. Ferrule: D18.	
7725C	M014L	Fischer Stick - Adult (left hand)	Height adjustment: 815mm - 1070mm (32" - 42"). Product weight: 400g. Ferrule: D18.	

BLACK STICK				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7657C	-	Fischer Stick - Adult (right hand)	Height adjustment: 670mm - 925mm (27" - 36½"). Product weight: 400g. Ferrule: D18.	127kg (20st)
7655C	-	Fischer Stick - Adult (left hand)	Height adjustment: 670mm - 925mm (27" - 36½"). Product weight: 400g. Ferrule: D18.	



Aluminium Support Sticks – Fischer Stick




Black Support Sticks – Fischer Stick

## Fixed Height Aluminium Walking Stick

An aluminium version of the traditional chestnut walking stick. Comes in one length so can be cut to size.

- Available in a cost saving multipack. See page 44

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7544C	-	Fixed Height Aluminium Walking Stick	Length: 1000mm (39½"). Product weight: 400g	127kg (20st)



## Escort Handle Cane

- Height adjustable aluminium support stick with escort handle
- Supplied with horseshoe clips for quick and easy height adjustment
- Available in a cost saving multipack. See page 44

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7653C	-	Escort Handle Cane	Length: 700mm - 950mm (27½" - 37½"). Product weight: 365g. Ferrule: D18.	100kg (16st)



## Wood Handle Cane

- Height adjustable aluminium support stick with with wooden handle
- Supplied with horseshoe clips for quick and easy height adjustment
- Available in a cost saving multipack. See page 44

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7665C	-	Wood Handle Cane	Length: 715mm - 970mm (28" - 38"). Product weight: 365g. Ferrule: D18.	100kg (16st)



## Foam Swan Handle Cane and Strap Handle

- Height adjustable aluminium support stick with padded swan handle
- Supplied with horseshoe clips for quick and easy height adjustment
- Complete with wrist strap
- Available in a cost saving multipack. See page 44

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7674C	-	Foam Swan Handle Cane and Strap Handle	Length: 730mm - 985mm (29" - 39"). Product weight: 365g. Ferrule: D18.	100kg (16st)



# COOPERS RECOMMENDS

Handmade from the best selected chestnut, sealed and finished in a light brown colour.

- The crook is formed in Coopers' unique 'D' shape, which allows the fingers more room, spreading the pressure and giving greater comfort and stability
- Available in cost saving multipacks. See page 44

STANDARD WALKING STICKS				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7561	-	Chestnut Walking Stick 915mm (36") without Ferrule	Product weight 300g	127kg (20st)
7562		Chestnut Walking Stick 965mm (38") without Ferrule		
7563		Chestnut Walking Stick 1016mm (40") without Ferrule		
7564		Chestnut Walking Stick 1067mm (42") without Ferrule		
7530		Chestnut Walking Stick 915mm (36") with D19 Ferrule		
7531	M027	Chestnut Walking Stick 965mm (38") with D19 Ferrule		
7532	-	Chestnut Walking Stick 1016mm (40") with D19 Ferrule		
7533		Chestnut Walking Stick 1067mm (42") with D19 Ferrule		
7591		Chestnut Walking Stick 915mm (36") with Z18 Ferrule		
7592		Chestnut Walking stick 965mm (38") with Z18 Ferrule		
7593		Chestnut Walking Stick 1016mm (40") with Z18 Ferrule		
7594		Chestnut walking stick 1067mm (42") with Z18 Ferrule		


EXTRA STRONG WALKING STICKS				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7571	-	Chestnut Walking Stick 915mm (36") without Ferrule	Product weight 400g	127kg (20st)
7572	-	Chestnut Walking Stick 965mm (38") without Ferrule		
7573	-	Chestnut Walking Stick 1016mm (40") without Ferrule		
7574	-	Chestnut Walking Stick 1067mm (42") without Ferrule		
7540	-	Chestnut Walking Stick 915mm (36") with D22 Ferrule		
7541	-	Chestnut Walking Stick 965mm (38") with D22 Ferrule		
7542	-	Chestnut Walking Stick 1016mm (40") with D22 Ferrule		
7543	-	Chestnut Walking Stick 1067mm (42") with D22 Ferrule		



## Ladies' Melbourne Handle, Cotswold Tan

Traditional ladies' walking stick.

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
2305	-	Ladies Melbourne Handle, Cotswold Tan.	Length: 915mm (36").	127kg (20st)



## Shepherd's Crook, Chestnut

A handmade, traditional walking stick.

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
1754	-	Shepherd's Crook, Chestnut	Length: 1372mm (4'6").	127kg (20st)



## Support Stick with Crutch Handle

An ergonomically shaped crutch handle on a polished rosewood shaft.

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
2372	-	Support Stick with Crutch Handle	Length: 915mm (36"). Product weight: 300g. Ferrule: D19	127kg (20st)





## Fixed Height Fischer Sticks

The unique Fischer handle is biometrically shaped to spread pressure evenly across the palm of the hand. Useful for arthritics and others who have difficulty gripping.

- Three style options available:
  - An elegant marble handle on a wooden shaft
  - Amber effect on a wooden shaft
  - A black Fischer stick mounted on a high strength aluminium shaft

MARBLE FISCHER STICK				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
1412	-	Marble Fischer Stick (right hand)	Height: 915mm (36"). Product weight: 300g. Ferrule: D19.	127kg (20st)
1411	-	Marble Fischer Stick (left hand)		




AMBER FISCHER STICK				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
9891	-	Amber Fischer Stick (right hand)	Height: 915mm (36"). Product weight: 300g. Ferrule: D19.	127kg (20st)
9892	-	Amber Fischer Stick (left hand)		127kg (20st)



## COOPERS RECOMMENDS

BLACK FISCHER STICK				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7724C	-	Black Fischer Stick (right hand)	Height: 915mm (36"). Product weight: 330g. Ferrule: D19.	127kg (20st)
7723C	-	Black Fischer Stick (left hand)		
7721C	-	Black Fischer Stick (right hand)	Height: 965mm (38"). Product weight: 330g. Ferrule: D19.	
7720C	-	Black Fischer Stick (left hand)	Height: 965mm (38"). Product weight: 330g. Ferrule: D19.	



## Folding Walking Sticks

Quick and simple to use, the stick snaps open in seconds.

- Lightweight yet strong and stable
- These high quality folding walking sticks conveniently fold away into a plastic wallet to slip into a bag, briefcase etc
- Height adjustable
- Available in a cost saving multipack. See page 44

FISCHER HANDLE				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
9888RC	-	Fischer Handle Right Hand	Height: 787mm - 900mm (31" - 35"). Product weight: 400g. Ferrule: D18	100kg (16st)
9888LC	-	Fischer Handle Left Hand		



CROOK HANDLE				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
9890C	-	Crook Handle	Height: 787mm - 900mm (31" - 35"). Product weight: 400g. Ferrule: D18	100kg (16st)



CONTOUR HANDLE				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
9889C	-	Contour Handle	Height: 787mm - 900mm (31" - 35"). Product weight: 400g. Ferrule: D18	100kg (16st)



## Type D Ferrule

Ferrules marked \* are latex free.

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
9755	-	Type D Ferrule 18mm	-	-
9756C*	M002	Type D Ferrule 19mm	-	-
9757	-	Type D Ferrule 22mm	-	-
9776C*	-	Type D Ferrule 30mm	-	-



## Type Z Ferrule

Latex free.

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
9768C	-	Type Z Ferrule 16mm	-	-
9764C	-	Type Z Ferrule 18mm	-	-
9766C	-	Type Z Ferrule 22mm	-	-
9767C	-	Type Z Ferrule 25mm	-	-
9769C	-	Type Z Ferrule 30mm	-	-



## STEPSAFE™ Ferrule

The Stepsafe™ ferrule is an easy to fit attachment for walking sticks and crutches.

- Offers superior stability on wet and dry surfaces and when walking on a gradient as the pivoting head ensures that the ferrule always has full contact with the ground
- Also proven to reduce jarring on the wrist, elbow and shoulder joints
- Sold singly

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
9770	-	STEPSAFE™ Ferrule 19mm	-	-
9771	-	STEPSAFE™ Ferrule 22mm	-	-
9772	-	STEPSAFE™ Ferrule 25mm	-	-
9773	-	STEPSAFE™ Bag of 10 replacement tips	-	-



## Slipnott Ferrule

# COOPERS RECOMMENDS

- For increased manoeuvrability, stability and safety on uneven surfaces
- The two piece ferrule features a metal ball and socket joint that allows the ferrule's studded base to be in contact with the ground at all times
- Sold in pairs

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10946	-	Slipnott Ferrule 18 -19mm	-	-
10947	-	Slipnott Ferrule 22mm	-	-



# COOPERS RECOMMENDS



The SUNLIFT hoist range consists of four models: MICRO, 130, 150 and 175. All models offer exceptional quality and reliability, powered by proven Linak actuators. They feature exceptional rigidity thanks to the advanced design of all the moving connections, eliminating play and offering a rigid feel when the hoist is fully loaded.



Legs can be opened and closed by pressing the ergonomic foot pedal.



Spreader bar covered by a non-slip material and with security crossed hooks prevents sling straps sliding off.



Ergonomic push handles for easier handling of the hoist from different attendant positions. Covered by non-slip material.

Product	Coopers Product Code	Max. User Weight
Sunlift Micro	OP-MICRO	130 kg
Sunlift 130	OP-G130E	130 kg
Sunlift 150	OP-G150E	150 kg
Sunlift 175	OP-G175E	175 kg

## Sunlift Micro

The Sunlift Micro hoist has the smallest dimensions of all of the hoists within the Sunlift range.

- Ideal for homecare environments, taking it from one room to another and moving it comfortably around furniture.
- The compact design of the legs make this hoist the most suitable for domestic use, with its large range of elevation allowing you to lift a patient from the floor to the bed.



## Sunlift 130

The Sunlift 130 hoist is the next step up in the range, developed specifically with the homecare environment in mind.

- The compact and robust design delivers accessibility in tight environments and longevity in the field.
- The Sunlift 130 Hoist is not only easy to handle but has the lifting capacity required to cover the patient needs in domestic care.
- It is especially suitable for those who require a lightweight and easy to transport hoist, or need to move around confined spaces.



## Sunlift 150

The Sunlift 150 hoist is the perfect solution for both domestic care and nursing home environments.

- The larger base offers a higher max user weight and larger lifting range, enabling patients to be lifted over beds and furniture, whilst still being compact and easy to handle.
- The Sunlift 150 hoist boom also delivers a longer reach over other models in the market, making it easier to use for carers and the perfect solution for the wide and varied client base in the community.



## Sunlift 175

The Sunlift 175 hoist is the largest hoist in the Sunlift range.

- Offering a 175kg max user weight and an impressive max height of 175cm, whilst still retaining an impressive compact base for easy manoeuvrability around the care home environment.
- The perfect partner to the Sunlift 130 in care homes or hospitals.





## Sunlift MICRO

The Sunlift Micro is a cost effective hoist ideal for home use. It is light, reliable and easy to use.

Safe working load	130 kg
Max total length (with wheels facing outwards)	1.010 mm
Min total length (with wheels facing inwards)	970 mm
Max width with legs closed	575 mm
Max height (without load)	1.835 mm
Min height (without load)	1.085 mm
Max spreader bar height (without load)	1.590 mm
Min spreader bar height (without load)	350 mm
Turning radius with legs open	1.130 mm
Legs open:	
Max width (external)	965 mm
Max width (internal)	885 mm
Legs closed:	
Max width (external)	535 mm
Max width (internal)	455 mm
Total leg height	100 mm
Ground clearance	20 mm
Castor wheels	75 mm
Rear wheels	100 mm
Mast, boom and electric components assembly weight	18.65 kg
Base assembly weight	13.5 kg
Batteries weight	2.9 kg

Coopers Product Code	TCES Code Number	Coopers Product Name
OP-MICRO	-	Sunlift MICRO



## Sunlift 130

The Sunlift 130 is a lightweight ergonomically designed hoist, designed for use where space is limited.

Safe working load	130 kg
Max total length (with wheels facing outwards)	1.120 mm
Min total length (with wheels facing inwards)	1.090 mm
Max width with legs closed	575 mm
Max height (without load)	1.865 mm
Min height (without load)	1.255 mm
Max spreader bar height (without load)	1.610 mm
Min spreader bar height (without load)	460 mm
Turning radius with legs open	1.240 mm
Legs open:	
Max width (external)	1.055 mm
Max width (internal)	980 mm
Legs closed:	
Max width (external)	535 mm
Max width (internal)	455mm
Total leg height	100 mm
Ground clearance	20 mm
Castor wheels	75 mm
Rear wheels	100 mm
Mast, boom and electric components assembly weight	19 kg
Base assembly weight	14 kg
Batteries weight	2.9 kg

Coopers Product Code	TCES Code Number	Coopers Product Name
OP-G130E	-	Sunlift 130



## Sunlift 150

The Sunlift 150 is the ideal hoist for many care settings. It enables carers to perform safe and secure client transfers in a wide range of lifting situations, including lifts from the floor.

Safe working load	150 kg
Max total length (with wheels facing outwards)	1.215 mm
Min total length (with wheels facing inwards)	1.155 mm
Max width with legs closed	665 mm
Max height (without load)	1.930 mm
Min height (without load)	1.255 mm
Max spreader bar height (without load)	1.680 mm
Min spreader bar height (without load)	450 mm
Turning radius with legs open	1.380 mm
Legs open:	
Max width (external)	1.205 mm
Max width (internal)	1.120 mm
Legs closed:	
Max width (external)	625 mm
Max width (internal)	545 mm
Total leg height	100 mm
Ground clearance	20 mm
Castor wheels	75 mm
Rear wheels	100 mm
Mast, boom and electric components assembly weight	19.3 kg
Base assembly weight	15.1 kg
Batteries weight	2.9 kg

Coopers Product Code	TCES Code Number	Coopers Product Name
OP-G150E	-	Sunlift 150



## Sunlift 175

The Sunlift 175 is an ideal hoist for the NHS and community equipment store. With its high lifting capacity and lightweight design, the 175 works well in almost all care settings.

Safe working load	175 kg
Max total length (with wheels facing outwards)	1.340 mm
Min total length (with wheels facing inwards)	1.265 mm
Max width with legs closed	665 mm
Max height (without load)	1.985 mm
Min height (without load)	1.425 mm
Max spreader bar height (without load)	1.755 mm
Min spreader bar height (without load)	550 mm
Turning radius with legs open	1.500 mm
Legs open:	
Max width (external)	1.220 mm
Max width (internal)	1.140 mm
Legs closed:	
Max width (external)	625 mm
Max width (internal)	545 mm
Total leg height	115 mm
Ground clearance	15 mm
Castor wheels	75 mm
Rear wheels	100 mm
Mast, boom and electric components assembly weight	22.65 kg
Base assembly weight	18.1 kg
Batteries weight	2.9 kg

Coopers Product Code	TCES Code Number	Coopers Product Name
OP-G175	-	Sunlift 175



## Merlin Bathboard

When fitted across the bath, this bathboard provides a seated platform area to assist those who are unable to get in and sit down in the normal way. It can also be used as a seat to allow over bath showering. It enables the user to get into and out of the bath with greater ease and comfort.

- Made of highly durable reinforced PVC
- Compatible with plastic, steel and cast iron baths
- Features tapered slats to encourage rapid drainage
- The self locating fixing system ensures secure positioning
- An optional handle code 10176C is available offering additional user confidence
- Available in a cost saving multipack. See page 44



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10164C	BA01	Merlin Bathboard 660mm (26")	Width: 228mm (9"). Product weight: 2.2kg.	190kg (30st)
10165C	BA02	Merlin Bathboard 686mm (27")		
10166C	BA03	Merlin Bathboard 711mm (28")		
10176C	-	Optional Handle	-	-

## Merlin Showerboard

### COOPERS<sup>®</sup> RECOMMENDS

Wider than our standard bathboard, this six slat board provides a comfortable seated platform area to assist those unable to step in and sit down in the usual way. It can also act as a seat to allow over-bath showering.

- Six tapered slats to encourage rapid water drainage
- Constructed of reinforced PVC for maximum durability
- Secured into position with Coopers' unique self locating fixing system
- An optional handle code 10176C is available offering additional user confidence
- Available in a cost saving multipack. See page 44



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10167C	BA04	Merlin Showerboard 660mm (26")	Width: 340mm (13½"). Product weight: 3.2kg.	190kg (30st)
10169C	BA05	Merlin Showerboard 686mm (27")		
10168C	BA06	Merlin Showerboard 711mm (28")		
10176C	-	Optional Handle		

## Merlin Bathseat

# COOPERS RECOMMENDS

Ideal for users who have difficulty sitting or getting up from the bottom of the bath. By positioning at the non tap end of the bath it provides a comfortable, safe, intermediary seat within the bath for the user to bathe either near or in the water. Can be used with a bath board to enable transfer from standing to sitting and vice versa.

- Made from reinforced PVC
- Provides a comfortable bathing experience for the user
- Tapered slats aid rapid drainage
- Fixes securely with large suction pads which incorporate easy-release tabs
- Finished in brilliant white with soft grey trim
- Available in a cost saving multipack. See page 44



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10157C	BA07	Merlin Bathseat 152mm (6")	Length: 457mm (18"). Width: 280mm (11"). Product weight: 2.5kg.	160kg (25st)
10158C	BA08	Merlin Bathseat 203mm (8")		
10159C	BA09	Merlin Bathseat 305mm (12")		

## Adjustable Height Round Shower Stool

Ideal for users who find it difficult to stand up in the shower, this stool makes it easier and more comfortable to shower and helps reduce the risk of falling.

- Lightweight, height adjustable round shower stool
- Moulded plastic seat in brilliant white
- Supplied with non-slip rubber feet



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10231C	BA15	Adjustable Height Round Shower Stool	Seat height: 400mm - 500mm (15¾" - 19¾"). Seat diameter: 320mm (12½"). Seat depth: 380mm (15"). Product weight: 1.5kg.	136kg (21st)

## Shower Chair

Lightweight but sturdy shower chair with height adjustability and an extra wide seating surface.

- Height adjustable aluminium frame resists rusting
- Textured, blow-moulded polythene seat and backrest with drainage holes to aid drainage
- Built-in handholds provide extra safety
- Rubber feet grip even on wet surfaces
- Available in a cost saving multipack. See page 44



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10241C	-	Shower Chair	Seat height: 330mm - 508mm (13"-21"). Seat width: 495mm (19½"). Seat depth: 305mm (12"). Product weight: 3.2kg.	136kg (21st)

## Shower Stool

Free standing height adjustable shower stool, ideal for users who cannot stand up long enough, or safely enough, to shower.

- Anodised height adjustable aluminium frame resists rusting
- Textured, blow-moulded polythene seat with built-in handholds provide extra safety
- Rubber feet grip even on wet surfaces
- Available in a cost saving multipack. See page 44



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10239C	BA10	Shower Stool	Seat height: 330mm - 508mm (13"-20"). Seat width: 495mm (19½"). Seat depth: 305mm (12"). Product weight: 2.7kg.	136kg (21st)



## Folding Shower Chair

A folding shower chair with arms and back.

- Height adjustable
- Seat has cut-away for improved personal hygiene and holes to aid drainage
- Folds away when not in use
- Supplied with non-slip rubber feet



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10178C	-	Folding Shower Chair	Seat Height 460mm - 540mm (18" - 21¼"). Seat depth: 440mm (17¼"). Seat width: 410mm (16"). Product weight 4.7kg.	114kg (18st)

## Wall Mounted Shower Seat with Legs

This wall mounted shower seat with legs offers support for those who need to be seated whilst showering.

- Seat folds away for storage
- Comfortable seat with drainage holes
- Corrosion resistant
- Height adjustable legs with rubber non slip feet
- Available in a cost saving multipack. See page 44

**NOTE:** Wall mounted shower seats should be fitted by a competent person using screws and rawplugs appropriate for the wall. For this reason we do not include screws or rawplugs with our seats.



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10243C	-	Wall Mounted Shower Seat with Legs	Seat width: 495mm (19½"). Seat depth: 305mm (12"). Seat height: 405mm - 560mm (16"-22"). Product weight: 3.5kg.	100kg (16st)

## Prima Bath Step

With a large flat surface area and built in non-slip pads, this bath step is safe and secure in use. It has been designed in modular components, allowing the step height to be altered if necessary.

- The set comprises a 50mm (2") step, plus two 25mm (1") risers, four non-slip feet and a link to allow two steps to be fixed together side by side
- The bath steps modular nature gives a nominal height of 50mm (2") to 97mm (nearly 4")
- May be assembled up to 300mm (12") high by purchasing additional 25mm (1") risers
- Available in a cost saving multipack. See page 44

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
62920	-	Prima Bath Step	Surface area: 445mm x 350mm (17½" - 13½")	240kg (38st)
61921	-	Riser for Prima Bath Step	Height: 25mm (1")	-



## Lotus Bath Lifts Accessories



Transfer Disc



Slide and Swivel



Height Adaptors

Our range of accessories fit both the Lotus and Lotus Lite bathlift.  
(See facing page).

We recommend the use of a transfer disk or 'slide and swivel' to make transferring onto and off the Lotus or Lotus Lite bathlift easier.

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
900600	-	Transfer Disc	-	140kg (22st)
900601	-	Slide and Swivel	-	
71000/05/06/07	-	Height Adaptors	-	

## Lotus Lite Bathlift

For those who have difficulty getting into and out of the bath, a Lotus Lite bathlift is the perfect solution.

- Breaks down into five lightweight parts that are simple to put together and take apart
- The lightweight, waterproof hand control floats and features a large sucker at the rear so it's never far from reach
- For added comfort and support, the Lotus Lite has a backrest with integral headrest and inclined seat
- For increased comfort, the backrest reclines and can be infinitely adjusted to 40°
- Has easy-clean plastic surfaces and covers that are machine washable up to 60°C
- Available in a cost saving multipack. See page 44

We recommend the use of a transfer disk or 'Slide and Swivel' to make transferring on to and off the Lotus Lite bathlift even easier. (See facing page)



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
900310	-	Lotus Lite Reclining Bathlift	Seat width (excluding side flaps): 375mm (15"). Seat width (including side flaps): 715mm (28"). Seat length: 405mm (16"). Min seat height: 72mm (3"), Max seat height: 440mm (17"), Backrest height: 710mm (28"), Backrest width: 340mm (13"), Overall product weight: 12.9kg.	140kg (22st)

## Lotus Bathlift

# COOPERS RECOMMENDS

The Lotus bathlift not only allows for easy, comfortable bathing, but its unique antimicrobial properties mean you have the added reassurance that the Lotus is hygienic and safe.

The Lotus bathlift has all the same functionality of the Lotus Lite bathlift but with two extra key features:

- Antimicrobial properties provide an extra level of protection against bacteria
- Plastic surfaces contain a special additive that repels dirt and water, making it easy to keep clean
- Available in a cost saving multipack. See page 44

We recommend the use of a transfer disk or 'Slide and Swivel' to make transferring on to and off the Lotus bathlift even easier. (See facing page).



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
900910	-	Lotus Reclining Bathlift	Seat width (excluding side flaps): 375mm (15"). Seat width (including side flaps): 715mm (28"). Seat length: 405mm (16"). Min seat height: 72mm (3"), Max seat height: 440mm (17"), Backrest height: 710mm (28"), Backrest width: 340mm (13"), Overall product weight: 12.9kg.	140kg (22st)

## Attendant Propelled Shower / Commode Chair

Similar to the Self Propelled Shower / Commode Chair but supplied with floor swivelling castors.

- Height adjustable aluminium frame
- Detachable, height adjustable footrests
- Padded seat for extra comfort with a removable section for easier personal cleaning
- Padded armrests flip-up and out of the way
- Each castor has an integral brake
- For added convenience, the rear wheels are interchangeable between the 125mm and 600mm versions. To convert the attendant propelled to the self propelled version you will need to purchase a conversion kit, consisting of the quick release wheels, axles and hand brakes. To convert the self propelled to the attendant propelled version you will need to purchase a pair of 125mm castors.



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10211C	-	Attendant Propelled Shower/ Commode Chair	Seat height: 540mm - 640mm (21¼" - 25"). Overall width: 540mm (21¼"). Seat dimensions: 430mm x 430mm (17" x 17"). Maximum depth: 1060mm (41¾"). Product weight: 14kg.	120kg (19st)
10411C	-	Spare Commode Pan with Lid		
WCAS1488	-	Conversion Kit		

## Self Propelled Shower/Commode Chair

# COOPERS RECOMMENDS

This durable three-in-one self propelled chair can be used as a shower chair, a commode chair, or as an over toilet pedestal. Supplied with a commode pan.

- Height adjustable aluminium frame
- Detachable, height adjustable footrests
- Padded seat for extra comfort with a removable section for easier personal cleaning
- Handles at the rear of the chair make it easy if assistance is required
- Padded armrests flip-up and out of the way
- The two swivelling castors are 125mm (5") in diameter and the quick release rear wheels are 600mm (24") in diameter



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10210C	-	Self Propelled Shower / Commode Chair	Seat height: 540mm - 640mm (21¼" - 25"). Overall width: 610mm (24"). Seat dimensions: 430mm x 430mm (17" x 17"). Maximum depth: 1140mm (45"). Product weight: 17.5kg.	120kg (19st)
10411C	-	Spare Commode Pan with Lid	-	
WCAS1487	-	125mm castors sold in pairs	-	

## Easy Fit Raised Toilet Seat

A moulded plastic, raised toilet seat which increases the overall height of the toilet to make it easier to sit down or stand up.

- Built-in antibacterial properties
- Easy and secure tool-free fitting
- Wide frontal opening for personal cleaning
- Comfortable contoured seat area distributes user weight over a larger area
- Fits all standard size toilets
- Available in a cost saving multipack. See page 44

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
63122	TA01	Ashby Easy Fit Raised Toilet Seat 51mm (2")	Depth: 390mm (15¼").	190kg (30st)
63144	TA02	Ashby Easy Fit Raised Toilet Seat 102mm (4")	Width: 380mm (15").	
63166	TA03	Ashby Easy Fit Raised Toilet Seat 152mm (6")	Product weights: 1kg, 1.3kg, 2.1kg.	



## Merlin Raised Toilet Seat and Frame

# COOPERS RECOMMENDS

A height adjustable toilet seat and free standing frame which can be placed over the existing toilet bowl to provide a higher sitting position.

- Height adjustable frame
- Comfortable contoured plastic seat which can be removed for cleaning
- Cushioned handles provide extra support when transferring
- Fitted with non-marking rubber ferrules to prevent slipping
- Available in a cost saving multipack. See page 44

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10380C	TA04	Merlin Raised Toilet Seat and Frame	Seat height: 460mm - 610mm (18" - 24"). Width: 555mm (22"). Depth: 495mm (19½"). Product weight: 5.2kg.	190kg (30st)



## Steel Toilet Surround

Free standing support frame. When placed around the front of the bowl it provides support to the user whilst getting on or off the toilet.

- Adjustable height
- Fitted with comfortable wipe clean arm rests
- Supplied with non-marking rubber ferrules to prevent slipping
- Available in a cost saving multipack. See page 44

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10399C	TA05	Steel Toilet Surround	Arm height: 650mm - 730mm (25½" - 28¾"). Max width: 580mm (22¾"). Width between arms: 490mm (19¼"). Depth: 445mm (17½"). Product weight: 4kg	190kg (30st)



## Aluminium Toilet Surround

Lightweight toilet surround frame which helps the user to raise and lower safely.

- Adjustable height
- Manufactured from anodised aluminium with non-corrosive fixings
- Cushioned handles for comfort and support
- Fitted with non-marking rubber ferrules to prevent slipping
- Available in a cost saving multipack. See page 44

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10397C	-	Aluminium Toilet Surround	Arm height: 620mm - 695mm (24½" - 27"). Width: 540mm (21"). Depth: 420mm (16½"). Product weight: 1.9kg.	160kg (25st)



## Female Urinal

A clear plastic bottle anatomically designed specifically for women to allow hygienic use.

- Graduations for easy measuring
- Can be used whilst sitting, standing or in bed
- Biocote protected
- Available in a cost saving multipack. See page 44

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification
10846	TA08	Female Urinal	Capacity 1 litre
10846MP		Female Urinal (carton of 20)	



## Fracture Pan Urinal

This large slipper style pan has a smooth surface to allow it to be easily moved under the body's shape

- Suitable for disinfection in an autoclave to 135°C
- Biocote protected
- Available in a cost saving multipack. See page 44

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10849	-	Fracture Pan Urinal	Capacity: 1 litre. Size: 449mm x 309mm x 99mm (17¾" x 12" x 4").	-
10849MP		Fracture Pan Urinal (carton of 12)		





## Male Urinal

A clear plastic bottle anatomically designed specifically for men to allow hygienic use.

- Graduations for easy measuring
- Snap-on cap
- Suitable for disinfection in an autoclave to 135°C
- Biocote protected
- Available in a cost saving multipack. See page 44

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification
10845	-	Male Urinal	Capacity 1 litre
10845MP	-	Male Urinal (carton of 25)	



## URSEC No-Leak Urinal

# COOPERS<sup>®</sup> RECOMMENDS

A patented urinal from which spillage is virtually impossible.

- The cap with anti-return device unscrews for emptying

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification
10844	-	URSEC No-Leak Urinal	Capacity 1 litre



## Stacking Commode

An adjustable height, free standing commode with attached toilet seat and removable commode pan.

- Made from high quality steel with tough powder coating
- Available as either fixed or adjustable height
- Cushioned seat and back covered in flame retardant vinyl
- Commode pan and lid included
- Available in a cost saving multipack. See page 44

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10402C	TA06	Stacking Commode - adjustable height	Adjustable seat height: (excluding cushion) 480mm - 580mm (19" - 23"). Fixed seat height (excluding cushion): 490mm (19½"). Width between arms: 480mm (19"). Seat: 410mm x 410mm (16" x 16"). Product weight: 6.5kg.	190kg (30st)
10400C		Stacking Commode - fixed height		
10408C		Spare Commode Pan		



## Commode Wheelchair

# COOPERS RECOMMENDS

A mobile commode with four wheels and detachable foot and arm rests. Ideal for users who find it difficult to access a toilet safely and easily.

- A high quality and versatile steel commode chair
- The comfortable seat is covered with a strong easy to clean plastic
- Moulded drop-down arms to aid side transfer and prevent wear
- High quality castors fitted as standard, each with an integral brake

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10183C	TA07	Commode Wheelchair	Seat height (excluding cushion): 490mm (19½"). Overall width: 559mm (22"). Overall depth: 572mm (22½"). Product weight: 14kg.	130kg (20st)
10412C	TA13	Spare Commode Pan		



## Merlin Grab Rails

A wall mounted rail designed to be used indoors to assist the user to stand up and sit down.

- Extra strong grab rail attractively finished in brilliant white
- The ribbed handle is 38mm (1½") wide to provide the user with increased comfort and grip


Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10274	GR09	Merlin Grab Rail 305mm (12")	Diameter: 38mm (1½"). Depth: 76mm (3"). Product weight: 375g - 535g.	190kg (30st)
10276	GR10	Merlin Grab Rail 457mm (18")		
10278	GR11	Merlin Grab Rail 609mm (24")		



## Perching Stool with Arms

An adjustable height perching stool with a sloping seat for comfort. Designed to allow the user to work whilst perched.

- Height adjustable seat and back support (back support on deluxe version only)
- Comfortable padded seat
- Supplied with non-slip rubber feet
- Available with or without a padded back
- Available in a cost saving multipack. See page 44



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10260C	-	Perching Stool with Arms	Seat height: 500mm - 650mm (19¾" - 25½"). Max width between arms: 485mm (19¼"). Seat size: 370mm x 300mm (14½" x 12"). Product weight: 4.8kg/6kg.	159kg (25st)
10261C	-	Perching Stool with Arms and Padded Back		

## Merlin Perching Stool

An adjustable height stool, with a sloping seat that is designed to allow the user to sit at a comfortable height in the kitchen, bathroom and shower, allowing them to rest whilst undertaking household and personal care activities.

- Height adjustable seat and back support (back support on deluxe version only)
- Seat and back made from tear resistant polyurethane
- Cushioned hand grips on deluxe model
- Non marking rubber ferrules to prevent slipping



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10268C	-	Merlin Perching Stool Deluxe	Seat height: 580mm - 740mm (23" - 29"). Width between arms: 430mm (17"). Seat: 350mm x 290mm (13¾" x 11½"). Product weight: 4.6/6.8kg.	159kg (25st)
10266C	-	Merlin Perching Stool Standard		

## Merlin Cone Raisers

A set of four moulded cones suitable for raising either a chair or bed. An ideal solution for users who find it hard to sit down due to the height of the furniture.

- A set of four stackable moulded cones to raise a chair or bed to optimum height
- The cones feature a recessed top and anti-slip pads to hold the furniture leg or castor securely in position
- Available in two sizes

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10727	FU13	Merlin Cone Raisers 140mm (5½") Set of four	Diameter: 178mm (7"). Recess depth: 26mm (1"). Recess width: 45mm (1¾"). Product weight: 115g/160g.	190kg (30st)
10725		Merlin Cone Raisers 90mm (3½") Set of four		



## Adjustable Blanket Cradle

A bed frame designed to hold bed clothes away from the body for ventilation and pressure relief.

- Lightweight adjustable aluminium frame
- Dismantles for easy storage

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
8771C	BE06	Adjustable Blanket Cradle	Adjustable height: 520mm - 670mm (20½" - 26½"). Width: 482mm (19"). Depth: 500mm (19½")	-



## Long Handle Shoe Horn

A long handled shoe horn to aid the user to reach and put on shoes easily.

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10626	PL04	Long Handle Shoe Horn	Length: 530mm (21")	-



## Stocking and Sock Aid

Aids the users to put on socks, stockings or tights easily without the need to bend down. Simply roll the sock, stocking or tights onto the aid, slip in your foot, then use the straps to pull the clothing item up the leg.

- Available in a cost saving multipack. See page 44

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10624	PL05	Stocking and Sock Aid	-	-



TCES  
Approved

## Classic Reacher

An easy to use aid which helps the user to pick up items without bending or crouching.

- Lightweight and easy to use with an improved comfort handle
- The Classic Reacher makes an ideal dressing aid
- The Gripcert rubber is kind and gentle to skin
- Comes with a handy stick clip attachment and magnet on the end to help pick up metal items, such as keys etc
- Lifetime warranty
- Available in a cost saving multipack. See page 44

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10650	PL01	Classic Reacher 660mm (26")	-	-
10652	PL19	Classic Reacher 830mm (32")	-	-



TCES  
Approved

## Handi-Grip Reacher

# COOPERS RECOMMENDS

Ideal for users who struggle with bending and reaching. This reacher has been designed with the arthritis sufferer in mind.

- Features a comfortable ergonomically designed handle and trigger
- The head can be rotated through 90° to find the best jaw position
- Available in a cost saving multipack. See page 44

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
HA2756M	-	Handi-Grip Reacher 660mm (26")	-	-
HA2736M	-	Handi-grip reacher 813mm (32")	-	-



## TCES Compliant Products

If you are an equipment provider or retailer under the TCES programme, we offer most of the Simple Aids for Daily Living which are listed in the National Catalogue.

To help you identify products that meet the appropriate specifications or are a close technical equivalent we have introduced the TCES icon shown. The icon is shown by the relevant product.



TCES Code Number	Coopers Product Code	Page Number	TCES Code Number	Coopers Product Code	Page Number
BA01	10164C	26	M014R	7726C	15
BA02	10165C	26	M015	7782C	13
BA03	10166C	26	M016	7808C	13
BA04	10167C	26	M017	8265C	11
BA05	10169C	26	M018	7344C	5
BA06	10168C	26	M022	7253C	7
BA07	10157C	27	M027	7531	17
BA08	10158C	27	M028	7345C	5
BA09	10159C	27	PL01	10650	40
BA10	10239C	28	PL04	10626	39
BA15	10231C	27	PL05	10624	40
BE06	8771C	39	PL19	10652	40
FU13	10727	39	SAV08	5652C	14
GR09	10274	37	TA01	63122	33
GR10	10276	37	TA02	63144	33
GR11	10278	37	TA03	63166	33
M002	9756C	16	TA04	10380C	33
M003	7331C	5	TA05	10399C	34
M004	7351C	5	TA06	10402C	37
M005	7353C	5	TA07	10183C	37
M006	10901C	8	TA08	10846	35
M007	10907C	8	TA13	10412C	37
M008	7255C	4	TA14	10381C	34
M009	7321C	5			
M010	7341C	5			
M011	7343C	5			
M013	7706C	14			
M014L	7725C	15			

## ALPHABETICAL

Aluminium walking sticks	19	Male urinals	36
Arthritic crutches	12	Prima bath step	30
Attendant propelled shower/commode chair	32	Raised toilet seat frame	33
Axilla crutches	12	Raised toilet seats	33
Bath steps	30	Raisers	39
Bathboards	26	Reachers	40
Bathlift	31	Rolling walkers	8, 9
Bathlift accessories	30	Self propelled shower/commode chair	32
Bathseats	27	Shoe horn, long handle	39
Bed raisers	39	Shower chairs & seats	26, 27, 28
Blanket cradle	39	Shower stools	27
Chair raisers	39	Showerboards	26
Children's crutches	12	Slipnott ferrule	21
Commodes	37	Sock & stocking aid	40
Commode wheelchair	37	Stacking commode	37
Crutches	10	Stepsafe ferrules	21
Female urinals	35	Sunlift Hoists	22, 23, 24, 25
Ferrules	21	Support Sticks	14
Fischer handle walking sticks	15, 19, 20	Tetrapods	13
Folding shower chair	29	Three wheel walker	8
Folding walking frames	6	Toilet surrounds	34
Folding walking sticks	20	Tripods	13
Forearm crutches	12	Tri-walker	8
Forearm frame	4	Urinals	35, 36
Grab rails	37	Walking frames	4, 5, 6
Gutter crutches	12	Walking sticks	17
Gutter frame	4	Wall mounted shower seats	29
		Wheels, walking frame	7
		Wooden walking sticks	17



## NUMERICAL

00015	12	10946	21	7572	17	8353C	10
00018	12	10947	21	7573	17	8771C	39
10157C	27	1411	19	7574	17	900310	31
10158C	27	1412	19	7591	17	900600	30
10159C	27	1754	18	7592	17	900601	30
10164C	26	2305	18	7593	17	900910	31
10165C	26	2372	18	7594	17	9302C	12
10166C	26	5652C	14	7653C	16	9304C	12
10167C	26	61921	30	7655C	15	9731C	10
10168C	26	62920	30	7657C	15	9755	21
10169C	26	63122	33	7665C	16	9756C	21
10176C	26	63144	33	7674C	16	9757	21
10178C	29	63166	33	7701C	14	9764C	21
10183C	37	7100005	30	7703C	14	9766C	21
10210C	32	7100006	30	7704C	14	9767C	21
10211C	32	7100007	30	7706C	14	9768C	21
10231C	27	7252C	7	7711C	14	9769C	21
10239C	28	7253C	7	7713C	14	9770	21
10241C	28	7254C	7	7720C	19	9771	21
10243C	29	7255C	4	7721C	19	9772	21
10260C	38	7321C	5	7723C	19	9773	21
10261C	38	7323C	4	7724C	19	9776C	21
10266C	38	7325C	4	7725C	15	9888LC	20
10268C	38	7331C	5	7726C	15	9888RC	20
10274	37	7333C	4	7727C	15	9889C	20
10276	37	7335C	4	7728C	15	9890C	20
10278	37	7341C	5	7755C	6	9891	19
10380C	33	7343C	5	7756C	6	9892	19
10397C	34	7344C	5	7758C	6	HA2736M	40
10399C	34	7345C	5	7782C	13	HA2756M	40
10400C	37	7346C	5	7808C	13	NE-02075	6
10402C	37	7347C	5	7810C	13	OP-G130E	24
10408C	37	7351C	5	7812C	13	OP-G150E	25
10411C	32	7353C	5	8041C	11	OP-G175	25
10412C	37	7374C	6	8042C	11	OP-MIRCO	24
10624	40	7381C	6	8043C	11	WCAS1487	32
10626	39	7530	17	8047C	11	WCAS1488	32
10650	40	7531	17	8070C	12		
10652	40	7532	17	8071C	12		
10725	39	7533	17	8072C	12		
10727	39	7540	17	8249C	10		
10844	36	7541	17	8251C	10		
10845	36	7542	17	8253C	10		
10846	35	7543	17	8263C	11		
10849	35	7544C	15	8265C	11		
10901C	8	7561	17	8267C	11		
10907C	8	7562	17	8298C	11		
10910C	9	7563	17	8300C	12		
10929C	9	7564	17	8303C	10		
10931C	9	7571	17	8351C	10		

## Multi Packs

We are pleased to offer our customers our top selling products in multipacks. These packs offer excellent value for money.

Please refer to your price list to see the cost saving available to you.

### NUMERICAL

10157MP	7531CARTON	7727CARTON
10158MP	7532CARTON	7728CARTON
10159MP	7533CARTON	7782CARTON
10164MP	7540CARTON	7808CARTON
10165MP	7541CARTON	7810CARTON
10166MP	7542CARTON	7812CARTON
10167MP	7543CARTON	8070CARTON
10168MP	7544CCARTON	8071CARTON
10169MP	7561CARTON	8072CARTON
10176CARTON	7562CARTON	8249CARTON
10239MP	7563CARTON	8251CARTON
10241MP	7564CARTON	8253CARTON
10243MP	7571CARTON	8263CARTON
10260MP	7572CARTON	8265CARTON
10261MP	7573CARTON	8267CARTON
10380MP	7574CARTON	8298CARTON
10397MP	7591CARTON	8300CARTON
10399MP	7592CARTON	8303CARTON
10400MP	7593CARTON	8351CARTON
10402MP	7594CARTON	8353CARTON
10624CARTON	7653CARTON	900310MP
10626CARTON	7655CARTON	900910MP
10650MP	7657CARTON	9731CARTON
10652MP	7665CARTON	9755NHS
10725MP	7674CARTON	9756NHSC
10845MP	7701CARTON	9757NHS
10846MP	7703CARTON	9764NHS
10849MP	7704CARTON	9766NHSC
10901MP	7706CARTON	9767NHSC
10905MP	7711CARTON	9768NHSC
10907MP	7713CARTON	9888LMP
10910MP	7720CARTON	9888RMP
62920MP	7721CARTON	9889MP
63122MP	7723CARTON	9890MP
63144MP	7724CARTON	HA2736CARTON
63166MP	7725CARTON	HA2756CARTON
7530CARTON	7726CARTON	

## NUMERICAL

171	Black Wood Walking Stick - Escort Handle
173	Black Wood Walking Stick - Crutch Handle
202	Black Wood Walking Stick - Pink/White Handle
203	Black Wood Walking Stick - Pink Marbled Handle
205	Rosewood Walking Stick - Cream Marbled Handle
211	Black Wood Walking Stick - Purple Marbled Handle
212	Black Wood Walking Stick - Blue Marbled Handle
221	Black Wood Walking Stick - Grey Marbled Handle
224	Black Wood Walking Stick - Black/White Handle
229	Brown Wood Walking Stick - Marbled Handle
234	Brown Wood Walking Stick - Toffee Marbled Handle
242	Brown Wood Walking Stick - Brown Marbled Handle
6519	Prima Angled Grab Rail 325mm (13"), Mint/White
6521CARTON	Prima Grab Rail 300mm (12"), Mint/White
6522	Prima Grab Rail 400mm (16"), Mint/White
6523	Prima Grab Rail 450mm (18"), Mint/White
6524	Prima Grab Rail 600mm (24"), Mint/White
6537	Prima Outdoor Grab Rail 4500mm (18") Retailed Packed
6538	Prima Outdoor Grab Rail 450mm (18")
6538CARTON	Prima Outdoor Grab Rail 450mm (18")
6553	Prima Angled Grab Rail 325mm (13"), White
6554	Prima Angled Grab Rail 400mm (16"), White
6555	Prima Grab Rail 300mm (12"), White
6555CARTON	Prima Grab Rail 300mm (12"), White
6556	Prima Grab Rail 400mm (16"), White
6556CARTON	Prima Grab Rail 400mm (16"), White
6557	Prima Grab Rail 450mm (18"), White
6558	Prima Grab Rail 600mm (24"), White
7783	Walking Frame Caddy
7783MP	Walking Frame Caddy Multipack
9313	Child's Folding Walker Small
9314	Child's Folding Walker Extra Small
9315	Child's Walker Tyke
9316	Child's Walker Little Tyke
10160C	Bathboard with Handle
10187	Shower Mat White
10220C	Extra Heavy Duty Shower Chair
10240	Turner Cubicle Seat
10242C	Wall Mounted Shower Seat
10327C	Folding Support Arm Short
10328C	Folding Support Arm Standard
10329C	Bath Step With Handle
10381C	Floor Fixing Kit
10405C	Extra Heavy Duty Commode
10410	Wickerwork Commode
10411	Spare Commode Pan for 10410
10456	In-Curve Plate Surround

10460	One Handled Cup
10460MP	One Handled Cup
10462	Two Handled Cup
10488	Two Handled Mug With Lids
10492	Dycem Jar Opener
10511	Medeci Tap Turner
10510	Tap Turner
10581	Two Tier Trolley
10740	Inflatable Hair Wash Tray
10752C	Overbed Table With Four Castors
10760	Lifting Pole
10843	Economy Male Urinal
10847	Female Slipper Urinal (Petal)
10847MP	Female Slipper Urinal (Petal)
10848	Selina Slipper Pan Urinal
10848MP	Selina Slipper Pan Urinal
10850	Vector Bed Pan
10850MP	Vector Bed Pan
10901CKA	Three Wheel Walker with Bag, Basket and Tray
10917C	Basket and Tray for Three Wheel Walker
10928C	Heavy Duty Walker
10930C	Extra Heavy Duty Rolling Walker
11326	Relaxon Raised Toilet Seat 10cm (4") with Lid
11327	Relaxon Raised Toilet Seat 10cm (4")
12236	Comfort Knife
12238	Comfort Fork
12240	Comfort Spoon
12242	Comfort Left Hand Fork
12244	Comfort Right Hand Fork
12246	Comfort Left Hand Spoon
12248	Comfort Right Hand Spoon
14134	Tablet Crusher
14138	Medichest
B52	Double Adjustable Easy Riser
B550	Lift Ease with Straps
DISPLAY 1	Display Stand & 12 Sticks
G300	Drop Down Rails with Legs
L64359	Visco-Elastic Hand Pad
MEDELERT	Medelert Pill Dispenser
UML1000	Cyclops Urinal
X152	Bariatric Raised Toilet Seat
X154	Bariatric Adjustable Toilet Surround
X156	Bariatric Shower Stool
X161	Bariatric Perching Stool with Arms/Back
X222	Bariatric Commode
X399	Bariatric Commode/Shower Chair

## Customer care

### How to open an account

To open an account with Sunrise Medical, please contact our Customer Services Team on **+44 (0) 845 605 66 88 (Option 2)**.

### Prices

All prices are net. VAT will be added to orders at the current rate unless the product is VAT zero-rated and an approved VAT zero-rating form is attached. Although we will endeavour to give advance notice of price changes, we reserve the right to change prices and invoice goods at the price ruling on the date of despatch.

### Carriage/packaging/surcharges

All orders under £100 will be subject to a minimum order value charge of £10 per order. All orders over £100 delivered to mainland UK will incur no additional charges. Shipments to non-mainland UK locations may be subject to further freight charges, please enquire with our Customer Services Team for details on **+44 (0) 845 605 66 88 (Option 2)**.

### Specification

Due to our policy of continuous product enhancement, we reserve the right to improve, modify or withdraw products where necessary, without advance notice.

Specification is correct at time of print.

### Customer charter

We want you to receive the most efficient and effective service we can offer.

To underline our commitment to you we have devised a Customer Charter which outlines our promise and which is backed by a complete range of customer services.

### We pledge to:

- Respond to customer requests in a professional and courteous manner
- Acknowledge and resolve all customer queries promptly and efficiently
- Supply quality products which meet customers' demands
- Notify customers of new products and services as they become available
- Carry out business activities in accordance with the requirements of BS EN ISO 9001:2008

For a full list of Terms and Conditions, please contact our Customer Services Team on **+44 (0) 845 605 66 88 (Option 2)**.

### Guarantee

All products sold by Sunrise Medical are guaranteed against faulty workmanship or materials for 12 months from the date of purchase.

### No quibble returns policy

In the unlikely event that you are not entirely happy with the goods you have purchased, you may return them to us by contacting our Customer Services Team on **+44 (0) 845 605 66 88 (Option 2)**.

- Goods must be returned within four weeks of delivery
- Please quote the invoice number
- We reserve the right to make a 20% restocking charge to meet inspection and repacking costs

Notes:

Dotted lines for writing notes.



**Sunrise Medical Ltd.**  
Thorns Road, Brierley Hill,  
West Midlands, DY5 2LD  
United Kingdom

Tel: +44 (0) 845 605 66 88  
Fax: +44 (0) 845 605 66 89

[www.SunriseMedical.co.uk](http://www.SunriseMedical.co.uk)